NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz

Version 1.0 Date: 04/15/20

SECTION 1. IDENTIFICATION

Product name : New Life Hand Sanitizer Original (NL 7370, NL7368, NL

7366, NL 9124, NL 9126)

Manufacturer or supplier's details

Company name of supplier : AFAM Concept

Address : 7401 S Pulaski RD Chicago,

IL 60629

Telephone : 1 (773)-838-1336

Emergency Telephone Number

24 Hour Emergency Information : CHEMTREC 1-800-424-9300/+1703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For

specific

intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Eye irritation : Category 2A

GHS label elements

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz

Hazard pictograms





Signal word : Warning

Hazard statements : H226 Flammable liquid and vapor.

H319 Causes serious eye irritation.

Precautionary statements : **Prevention**:

P210 Keep away from heat/sparks/open flames/hot

surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/

ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposai:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethanol	64-17-5	70%
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek

medical advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if irritation develops and persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20

If swallowed : Do NOT induce vomiting.

Rinse mouth with water. Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

Do not use a solid water stream as it may scatter and spread

fire.

Cool closed containers exposed to fire with water spray.

Flash back possible over considerable distance.

May form explosive mixtures in air.

Exposure to decomposition products may be a hazard to

health.

Carbon oxides Silicon oxides

Hazardous combustion

products

Carbon oxides

Silicon oxides

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective

equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Material can create slippery conditions.

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning

up

Non-sparking tools should be used.

Soak up with inert absorbent

material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly

while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section

8. Keep away from heat.

Use with local exhaust ventilation.

Avoid contact with eyes.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.

Keep in properly labelled containers.

Keep container tightly closed in a dry and well-

ventilated place.

Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameter s / Permissibl e concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

	ST	500 ppm 1,225 mg/m3	NIOSH REL
	TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control paramete rs	Biologic al specim en	Sampli n g time	Permissibl e concentra tio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH
				shift at end of workw ee k		BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : No special protective equipment required.

Eye protection : Wear face-shield and protective suit for abnormal

processing problems.

Skin and body protection : No special measures necessary provided product is used

correctly.

Protective measures : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Gel

Colour : clear, colorless

Odour : Standard

Odour Threshold : No data available

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

pH : 6.8 – 7.8,(25 °C)

Melting point/freezing point : No data available

Initial boiling point and

boiling range

74.00 °C

Flash point : 27.00 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.8760 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity : 8,000-10,000cP (25

°C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Flammable solids
Self-reactive substances

Water-reactive substances

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Components:

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7

mg/l Exposure time:

4 h

Test atmosphere: vapor

Isopropyl Alcohol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72.6

mg/l Exposure time:

4 h

Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Components:

Ethanol:

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: negative

Isopropyl Alcohol: Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Test species: Mouse
Application Route:

Ingestion Result: negative

Isopropyl Alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Test species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol:

Species: Rat

Application Route: inhalation (vapor)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC No component of this product present at levels greater than

or equal to 0.1% is identified as probable, possible or

confirmed

human carcinogen by IARC.

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

STOT - single exposure

Not classified based on available information.

Components:

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethanol:

Species: Rat

NOAEL: 2,400 mg/kg Application Route: Ingestion

Exposure time: 2 y

Isopropyl Alcohol:

Species: Rat

NOAEL: 5000 ppm

Application Route: inhalation (vapor)

Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethanol:

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000

mg/I Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000

mg/l Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275

mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6

mg/l Exposure time: 9 d

Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Isopropyl Alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and

other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Isopropyl Alcohol:

Biodegradability : Result: rapidly degradable

Bioaccumulative potential

Components:

Ethanol:

Partition coefficient: n-

octanol/water

log Pow: -0.35

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Isopropyl Alcohol:

Partition coefficient: n-octanol/water

log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

No data available

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with

a Class I or Class II ODS as defined by the U.S. Clean Air

Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No. : UN 1987

Proper shipping name : Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class : 3

Packing group : III

Packing instruction (cargo

aircraft)

366

Packing instruction

(passenger aircraft)

355

IMDG-Code

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(Ethanol, Propan-2-ol)

Class : 3

Packing group : III

Labels : 3

EmS Code : F-E, S-D

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Marine pollutant : no

National Regulations

49 CFR

UN/ID/NA number : UN 1987

Proper shipping name : Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class : 3
Packing group : III

ERG Code : 127

Marine pollutant : no

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Isopropyl Alcohol 67-63-0 3.4103 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ethanol 64-17-5 65.2821 %

Isopropyl Alcohol 67-63-0 3.4103 %
This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Ethanol 64-17-5 50 - 70 %

Isopropyl Alcohol 67-63-0 1 - 5 %

US State Regulations Massachusetts Right To Know

Pennsylvania Right To Know

Ethanol 64-17-5 50 - 70

%

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0	Date: 04/15/20		
Water (Aqua)	7732-18-5	20 - 30 %	
Isopropyl Alcohol	67-63-0	1 - 5 %	
New Jersey Right To Know			
Ethanol	64-17-5	50 - 70 %	
Water (Aqua)	7732-18-5	20 - 30 %	
Isopropyl Alcohol	67-63-0	1 - 5 %	

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20


California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Date:04/15/20

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NEW LIFE HAND SANITIZER ORIGINAL: (NL7370(1.75oz), NL7368(3.8oz), NL 7366(7.8oz), NL9124(29floz), NL9126(14.2floz), NL9129(16oz), NL9130(32oz), NL9134(128oz), NL9119(0.15oz), NL9133(1.oz)

Version 1.0 Date: 04/15/20